```
1     grant dba to "falo";
2
3     { TABLE "falo".dm_dokumentart row size = 294 number of columns = 3 index size = 12
4                   }
5     create table "falo".dm_dokumentart
6       (
7         dokumentart serial not null,
8         text char(250) not null,
9         tabelle char(40),
10        primary key (dokumentart) constraint "falo".u100_1
11      );
12    revoke all on "falo".dm_dokumentart from "public";
13
14    create unique index "falo".dm_pk_dokumentart on "falo".dm_dokumentart (dokumentart);
15    { TABLE "falo".dm_erscheinungsart row size = 54 number of columns = 2 index size
16                  = 12 }
17    create table "falo".dm_erscheinungsart
18      (
19        erscheinungsart serial not null,
20        text char(50) not null,
21        primary key (erscheinungsart) constraint "falo".u101_2
22      );
23    revoke all on "falo".dm_erscheinungsart from "public";
24
25    create unique index "falo".dm_pk_eart on "falo".dm_erscheinungsart (erscheinungsart);
26    { TABLE "falo".dm_format row size = 304 number of columns = 3 index size = 12 }
27    create table "falo".dm_format
28      (
29        format serial not null,
30        text char(50) not null,
31        beschreibung char(250),
32        primary key (format) constraint "falo".u102_3
33      );
34    revoke all on "falo".dm_format from "public";
35
36    create unique index "falo".dm_pk_format on "falo".dm_format (format);
37    { TABLE "falo".dm_intervall row size = 54 number of columns = 2 index size = 12 }
38    create table "falo".dm_intervall
39      (
40        intervall serial not null,
41        text char(50) not null,
42        primary key (intervall) constraint "falo".u103_4
43      );
44    revoke all on "falo".dm_intervall from "public";
45
46    create unique index "falo".dm_pk_intervall on "falo".dm_intervall (intervall);
47    { TABLE "falo".dm_klassifikation row size = 504 number of columns = 3 index size
48                  = 12 }
49    create table "falo".dm_klassifikation
50      (
51        klassifikation serial not null,
52        code char(250) not null,
53        beschreibung char(250),
54        primary key (klassifikation) constraint "falo".u104_5
55      );
56    revoke all on "falo".dm_klassifikation from "public";
57
58    create unique index "falo".dm_pk_klass on "falo".dm_klassifikation (klassifikation);
59    { TABLE "falo".dm_sprache row size = 254 number of columns = 2 index size = 12 }
60    create table "falo".dm_sprache
61      (
62        sprache serial not null,
63        text char(250) not null,
64        primary key (sprache) constraint "falo".u105_6
65      );
66    revoke all on "falo".dm_sprache from "public";
67
68    create unique index "falo".dm_pk_sprache on "falo".dm_sprache (sprache);
69    { TABLE "falo".dm_titelart row size = 254 number of columns = 2 index size = 12 }
70    create table "falo".dm_titelart
71      (
```



```
72        titelart serial not null,
73        text char(250) not null,
74        primary key (titelart) constraint "falo".u106_7
75      );
76    revoke all on "falo".dm_titelart from "public";
77
78    create unique index "falo".dm_pk_titelart on "falo".dm_titelart (titelart);
79    { TABLE "falo".dm_verweisart row size = 254 number of columns = 2 index size = 12
80                  }
81    create table "falo".dm_verweisart
82      (
83        verweisart serial not null,
84        text char(250) not null,
85        primary key (verweisart) constraint "falo".u107_8
86      );
87    revoke all on "falo".dm_verweisart from "public";
88
89    create unique index "falo".dm_pk_verweisart on "falo".dm_verweisart (verweisart);
90    { TABLE "falo".pr_produzent row size = 304 number of columns = 3 index size = 12
91                  }
92    create table "falo".pr_produzent
93      (
94        produzent serial not null,
95        name char(250) not null,
96        kurz char(50),
97        primary key (produzent) constraint "falo".u108_9
98      );
99    revoke all on "falo".pr_produzent from "public";
100
101   create unique index "falo".pr_pk_produzent on "falo".pr_produzent (produzent);
102   { TABLE "falo".pr_rolle row size = 254 number of columns = 2 index size = 12 }
103   create table "falo".pr_rolle
104     (
105       rolle serial not null,
106       text char(250) not null,
107       primary key (rolle) constraint "falo".u109_10
108     );
109   revoke all on "falo".pr_rolle from "public";
110
111   create unique index "falo".pr_pk_rolle on "falo".pr_rolle (rolle);
112   { TABLE "falo".pr_verbindungsart row size = 254 number of columns = 2 index size
113                 = 12 }
114   create table "falo".pr_verbindungsart
115     (
116       verbindungsart serial not null,
117       text char(250) not null,
118       primary key (verbindungsart) constraint "falo".u110_11
119     );
120   revoke all on "falo".pr_verbindungsart from "public";
121
122   create unique index "falo".pr_pk_verbart on "falo".pr_verbindungsart (verbindungsart)
      ;
123   { TABLE "falo".dok_dokument row size = 22 number of columns = 7 index size = 36 }
124   create table "falo".dok_dokument
125     (
126       dokument serial not null,
127       erscheinungsjahr smallint,
128       erscheinungsmonat smallint,
129       erscheinungstag smallint,
130       format integer not null,
131       seiten integer,
132       dokumentart integer not null,
133       primary key (dokument) constraint "falo".u111_12
134     );
135   revoke all on "falo".dok_dokument from "public";
136
137   create unique index "falo".dok_pk_dokument on "falo".dok_dokument (dokument);
138   { TABLE "falo".ko_konferenz row size = 264 number of columns = 6 index size = 24
139                 }
140   create table "falo".ko_konferenz
141     (
```

```
142       konferenz serial not null,
143       titel char(250) not null,
144       intervall integer not null,
145       tag smallint,
146       monat smallint,
147       jahr smallint,
148       primary key (konferenz) constraint "falo".u112_15
149     );
150   revoke all on "falo".ko_konferenz from "public";
151
152   create unique index "falo".ko_pk_konferenz on "falo".ko_konferenz (konferenz);
153   { TABLE "falo".pr_institution row size = 504 number of columns = 3 index size = 12
154               }
155   create table "falo".pr_institution
156     (
157       produzent integer not null,
158       namenszusatz char(250),
159       adresse char(250),
160       primary key (produzent) constraint "falo".u113_17
161     );
162   revoke all on "falo".pr_institution from "public";
163
164   create unique index "falo".pr_pk_institution on "falo".pr_institution (produzent);
165   { TABLE "falo".pr_person row size = 504 number of columns = 3 index size = 12 }
166   create table "falo".pr_person
167     (
168       produzent integer not null,
169       vorname char(250),
170       titel char(250),
171       primary key (produzent) constraint "falo".u114_19
172     );
173   revoke all on "falo".pr_person from "public";
174
175   create unique index "falo".pr_pk_person on "falo".pr_person (produzent);
176   { TABLE "falo".pr_verbindung row size = 12 number of columns = 3 index size = 60
177               }
178   create table "falo".pr_verbindung
179     (
180       verbindungsart integer not null,
181       produzent_1 serial not null,
182       produzent_2 integer not null,
183       primary key (verbindungsart,produzent_1,produzent_2) constraint "falo".u115_21
184     );
185   revoke all on "falo".pr_verbindung from "public";
186
187   create unique index "falo".pr_pk_verbindung on "falo".pr_verbindung (verbindungsart,p
      roduzent_1,produzent_2);
188   { TABLE "falo".dok_abstract row size = 258 number of columns = 3 index size = 42
189               }
190   create table "falo".dok_abstract
191     (
192       sprache integer not null,
193       dokument integer not null,
194       langtext char(250) not null,
195       primary key (sprache,dokument) constraint "falo".u116_25
196     );
197   revoke all on "falo".dok_abstract from "public";
198
199   create unique index "falo".dok_pk_abstract on "falo".dok_abstract (sprache,dokument);
200   { TABLE "falo".dok_isbn row size = 19 number of columns = 2 index size = 46 }
201   create table "falo".dok_isbn
202     (
203       isbn char(15) not null,
204       dokument integer not null,
205       primary key (isbn,dokument) constraint "falo".u117_28
206     );
207   revoke all on "falo".dok_isbn from "public";
208
209   create unique index "falo".dok_pk_isbn on "falo".dok_isbn (isbn,dokument);
210   { TABLE "falo".dok_issn row size = 19 number of columns = 2 index size = 46 }
211   create table "falo".dok_issn
```



```
212     (
213       issn char(15) not null,
214       dokument integer not null,
215       primary key (issn,dokument) constraint "falo".u118_30
216     );
217   revoke all on "falo".dok_issn from "public";
218
219   create unique index "falo".dok_pk_issn on "falo".dok_issn (issn,dokument);
220   { TABLE "falo".dok_klassifikation row size = 8 number of columns = 2 index size =
221               42 }
222   create table "falo".dok_klassifikation
223     (
224       klassifikation integer not null,
225       dokument integer not null,
226       primary key (klassifikation,dokument) constraint "falo".u119_32
227     );
228   revoke all on "falo".dok_klassifikation from "public";
229
230   create unique index "falo".dok_pk_klass on "falo".dok_klassifikation (klassifikation,
      dokument);
231   { TABLE "falo".dok_produzent row size = 16 number of columns = 4 index size = 60
232               }
233   create table "falo".dok_produzent
234     (
235       dokument integer not null,
236       produzent integer not null,
237       rang integer,
238       rolle integer not null,
239       primary key (dokument,produzent,rolle) constraint "falo".u120_35
240     );
241   revoke all on "falo".dok_produzent from "public";
242
243   create unique index "falo".dok_pk_prod on "falo".dok_produzent (dokument,produzent,ro
      lle);
244   { TABLE "falo".dok_sprache row size = 8 number of columns = 2 index size = 42 }
245   create table "falo".dok_sprache
246     (
247       sprache integer not null,
248       dokument integer not null,
249       primary key (sprache,dokument) constraint "falo".u121_39
250     );
251   revoke all on "falo".dok_sprache from "public";
252
253   create unique index "falo".dok_pk_sprache on "falo".dok_sprache (sprache,dokument);
254   { TABLE "falo".dok_titel row size = 262 number of columns = 4 index size = 60 }
255   create table "falo".dok_titel
256     (
257       dokument integer not null,
258       titelart integer not null,
259       sprache integer not null,
260       text char(250) not null,
261       primary key (dokument,titelart,sprache) constraint "falo".u122_42
262     );
263   revoke all on "falo".dok_titel from "public";
264
265   create unique index "falo".dok_pk_titel on "falo".dok_titel (dokument,titelart,sprach
      e);
266   { TABLE "falo".dok_typ_a row size = 4 number of columns = 1 index size = 12 }
267   create table "falo".dok_typ_a
268     (
269       dokument integer not null,
270       primary key (dokument) constraint "falo".u123_46
271     );
272   revoke all on "falo".dok_typ_a from "public";
273
274   create unique index "falo".dok_pk_typ_a on "falo".dok_typ_a (dokument);
275   { TABLE "falo".dok_typ_b row size = 504 number of columns = 3 index size = 12 }
276   create table "falo".dok_typ_b
277     (
278       dokument integer not null,
279       auflage char(250),
```

```
280       band char(250),
281       primary key (dokument) constraint "falo".u124_48
282     );
283   revoke all on "falo".dok_typ_b from "public";
284
285   create unique index "falo".dok_pk_typ_b on "falo".dok_typ_b (dokument);
286   { TABLE "falo".dok_typ_c row size = 262 number of columns = 4 index size = 36 }
287   create table "falo".dok_typ_c
288     (
289       dokument integer not null,
290       intervall integer not null,
291       erscheinungsart integer not null,
292       ausgabe char(250),
293       primary key (dokument) constraint "falo".u125_50
294     );
295   revoke all on "falo".dok_typ_c from "public";
296
297   create unique index "falo".dok_pk_typ_c on "falo".dok_typ_c (dokument);
298   { TABLE "falo".dok_typ_d row size = 754 number of columns = 4 index size = 12 }
299   create table "falo".dok_typ_d
300     (
301       dokument integer not null,
302       fassung char(250),
303       lv_nr char(250),
304       semester char(250),
305       primary key (dokument) constraint "falo".u126_54
306     );
307   revoke all on "falo".dok_typ_d from "public";
308
309   create unique index "falo".dok_pk_typ_d on "falo".dok_typ_d (dokument);
310   { TABLE "falo".dok_typ_e row size = 4 number of columns = 1 index size = 12 }
311   create table "falo".dok_typ_e
312     (
313       dokument integer not null,
314       primary key (dokument) constraint "falo".u127_56
315     );
316   revoke all on "falo".dok_typ_e from "public";
317
318   create unique index "falo".dok_pk_typ_e on "falo".dok_typ_e (dokument);
319   { TABLE "falo".dok_verweis row size = 512 number of columns = 5 index size = 60 }
320   create table "falo".dok_verweis
321     (
322       ziel_dokument integer not null,
323       quell_dokument integer not null,
324       verweisart integer not null,
325       quellpos char(250),
326       zielpos char(250),
327       primary key (ziel_dokument,quell_dokument,verweisart) constraint "falo".u128_58
328     );
329   revoke all on "falo".dok_verweis from "public";
330
331   create unique index "falo".dok_pk_verweis on "falo".dok_verweis (ziel_dokument,quell_
      dokument,verweisart);
332   { TABLE "falo".ko_tagung row size = 514 number of columns = 7 index size = 24 }
333   create table "falo".ko_tagung
334     (
335       tagung serial not null,
336       konferenz integer not null,
337       titel char(250) not null,
338       ort char(250),
339       tag smallint,
340       monat smallint,
341       jahr smallint,
342       primary key (tagung) constraint "falo".u129_62
343     );
344   revoke all on "falo".ko_tagung from "public";
345
346   create unique index "falo".dok_pk_tagung on "falo".ko_tagung (tagung);
347   { TABLE "falo".ko_verantwortung row size = 8 number of columns = 2 index size = 42
348                 }
349   create table "falo".ko_verantwortung
```



```
350     (
351       konferenz integer not null,
352       produzent integer not null,
353       primary key (konferenz,produzent) constraint "falo".u130_64
354     );
355   revoke all on "falo".ko_verantwortung from "public";
356
357   create unique index "falo".ko_pk_verantw on "falo".ko_verantwortung (konferenz,produz
      ent);
358   { TABLE "falo".dok_typ_f row size = 258 number of columns = 3 index size = 24 }
359   create table "falo".dok_typ_f
360     (
361       dokument integer not null,
362       band char(250),
363       tagung integer not null,
364       primary key (dokument) constraint "falo".u131_67
365     );
366   revoke all on "falo".dok_typ_f from "public";
367
368   create unique index "falo".dok_pk_typ_f on "falo".dok_typ_f (dokument);
369   { TABLE "falo".ko_durchfuehrung row size = 8 number of columns = 2 index size = 42
370                 }
371   create table "falo".ko_durchfuehrung
372     (
373       tagung integer not null,
374       produzent integer not null,
375       primary key (tagung,produzent) constraint "falo".u132_70
376     );
377   revoke all on "falo".ko_durchfuehrung from "public";
378
379   create unique index "falo".ko_pk_durchf on "falo".ko_durchfuehrung (tagung,produzent)
      ;
380
381   alter table "falo".dok_dokument add constraint (foreign key (format)
382       references "falo".dm_format  constraint "falo".r111_13);
383
384   alter table "falo".dok_dokument add constraint (foreign key (dokumentart)
385       references "falo".dm_dokumentart  constraint "falo".r111_14);
386
387
388   alter table "falo".ko_konferenz add constraint (foreign key (intervall)
389       references "falo".dm_intervall  constraint "falo".r112_16);
390
391
392   alter table "falo".pr_institution add constraint (foreign key
393       (produzent) references "falo".pr_produzent  constraint "falo".
394       r113_18);
395
396   alter table "falo".pr_person add constraint (foreign key (produzent)
397       references "falo".pr_produzent  constraint "falo".r114_20);
398
399
400   alter table "falo".pr_verbindung add constraint (foreign key
401       (verbindungsart) references "falo".pr_verbindungsart  constraint
402       "falo".r115_22);
403
404   alter table "falo".pr_verbindung add constraint (foreign key
405       (produzent_1) references "falo".pr_produzent  constraint "falo".
406       r115_23);
407
408   alter table "falo".pr_verbindung add constraint (foreign key
409       (produzent_2) references "falo".pr_produzent  constraint "falo".
410       r115_24);
411
412   alter table "falo".dok_abstract add constraint (foreign key (sprache)
413       references "falo".dm_sprache  constraint "falo".r116_26);
414
415   alter table "falo".dok_abstract add constraint (foreign key (dokument)
416       references "falo".dok_dokument  constraint "falo".r116_27);
417
418
```

```
alter table "falo".dok_isbn add constraint (foreign key (dokument)
    references "falo".dok_dokument  constraint "falo".r117_29);


alter table "falo".dok_issn add constraint (foreign key (dokument)
    references "falo".dok_dokument  constraint "falo".r118_31);


alter table "falo".dok_klassifikation add constraint (foreign
    key (klassifikation) references "falo".dm_klassifikation
    constraint "falo".r119_33);

alter table "falo".dok_klassifikation add constraint (foreign
    key (dokument) references "falo".dok_dokument  constraint
    "falo".r119_34);

alter table "falo".dok_produzent add constraint (foreign key
    (dokument) references "falo".dok_dokument  constraint "falo".
    r120_36);

alter table "falo".dok_produzent add constraint (foreign key
    (produzent) references "falo".pr_produzent  constraint "falo".
    r120_37);

alter table "falo".dok_produzent add constraint (foreign key
    (rolle) references "falo".pr_rolle  constraint "falo".r120_38);


alter table "falo".dok_sprache add constraint (foreign key (sprache)
    references "falo".dm_sprache  constraint "falo".r121_40);

alter table "falo".dok_sprache add constraint (foreign key (dokument)
    references "falo".dok_dokument  constraint "falo".r121_41);


alter table "falo".dok_titel add constraint (foreign key (sprache)
    references "falo".dm_sprache  constraint "falo".r122_43);

alter table "falo".dok_titel add constraint (foreign key (titelart)
    references "falo".dm_titelart  constraint "falo".r122_44);

alter table "falo".dok_titel add constraint (foreign key (dokument)
    references "falo".dok_dokument  constraint "falo".r122_45);


alter table "falo".dok_typ_a add constraint (foreign key (dokument)
    references "falo".dok_dokument  constraint "falo".r123_47);


alter table "falo".dok_typ_b add constraint (foreign key (dokument)
    references "falo".dok_dokument  constraint "falo".r124_49);


alter table "falo".dok_typ_c add constraint (foreign key (dokument)
    references "falo".dok_dokument  constraint "falo".r125_51);


alter table "falo".dok_typ_c add constraint (foreign key (intervall)
    references "falo".dm_intervall  constraint "falo".r125_52);


alter table "falo".dok_typ_c add constraint (foreign key (erscheinungsart)
    references "falo".dm_erscheinungsart  constraint "falo".r125_53);


alter table "falo".dok_typ_d add constraint (foreign key (dokument)
    references "falo".dok_dokument  constraint "falo".r126_55);


alter table "falo".dok_typ_e add constraint (foreign key (dokument)
    references "falo".dok_dokument  constraint "falo".r127_57);
```



```


alter table "falo".dok_verweis add constraint (foreign key (verweisart)
    references "falo".dm_verweisart  constraint "falo".r128_59);


alter table "falo".dok_verweis add constraint (foreign key (quell_dokument)
    references "falo".dok_dokument  constraint "falo".r128_60);


alter table "falo".dok_verweis add constraint (foreign key (ziel_dokument)
    references "falo".dok_dokument  constraint "falo".r128_61);


alter table "falo".ko_tagung add constraint (foreign key (konferenz)
    references "falo".ko_konferenz  constraint "falo".r129_63);


alter table "falo".ko_verantwortung add constraint (foreign key
    (konferenz) references "falo".ko_konferenz  constraint "falo".
    r130_65);

alter table "falo".ko_verantwortung add constraint (foreign key
    (produzent) references "falo".pr_produzent  constraint "falo".
    r130_66);

alter table "falo".dok_typ_f add constraint (foreign key (dokument)
    references "falo".dok_dokument  constraint "falo".r131_68);


alter table "falo".dok_typ_f add constraint (foreign key (tagung)
    references "falo".ko_tagung  constraint "falo".r131_69);

alter table "falo".ko_durchfuehrung add constraint (foreign key
    (tagung) references "falo".ko_tagung  constraint "falo".r132_71);


alter table "falo".ko_durchfuehrung add constraint (foreign key
    (produzent) references "falo".pr_produzent  constraint "falo".
    r132_72);


grant select on "falo".dm_dokumentart to "public" as "falo";
grant update on "falo".dm_dokumentart to "public" as "falo";
grant insert on "falo".dm_dokumentart to "public" as "falo";
grant delete on "falo".dm_dokumentart to "public" as "falo";
grant index on "falo".dm_dokumentart to "public" as "falo";
grant select on "falo".dm_erscheinungsart to "public" as "falo";
grant update on "falo".dm_erscheinungsart to "public" as "falo";
grant insert on "falo".dm_erscheinungsart to "public" as "falo";
grant delete on "falo".dm_erscheinungsart to "public" as "falo";
grant index on "falo".dm_erscheinungsart to "public" as "falo";
grant select on "falo".dm_format to "public" as "falo";
grant update on "falo".dm_format to "public" as "falo";
grant insert on "falo".dm_format to "public" as "falo";
grant delete on "falo".dm_format to "public" as "falo";
grant index on "falo".dm_format to "public" as "falo";
grant select on "falo".dm_intervall to "public" as "falo";
grant update on "falo".dm_intervall to "public" as "falo";
grant insert on "falo".dm_intervall to "public" as "falo";
grant delete on "falo".dm_intervall to "public" as "falo";
grant index on "falo".dm_intervall to "public" as "falo";
grant select on "falo".dm_klassifikation to "public" as "falo";
grant update on "falo".dm_klassifikation to "public" as "falo";
grant insert on "falo".dm_klassifikation to "public" as "falo";
grant delete on "falo".dm_klassifikation to "public" as "falo";
grant index on "falo".dm_klassifikation to "public" as "falo";
grant select on "falo".dm_sprache to "public" as "falo";
grant update on "falo".dm_sprache to "public" as "falo";
grant insert on "falo".dm_sprache to "public" as "falo";
grant delete on "falo".dm_sprache to "public" as "falo";
```

```
561   grant index on "falo".dm_sprache to "public" as "falo";
562   grant select on "falo".dm_titelart to "public" as "falo";
563   grant update on "falo".dm_titelart to "public" as "falo";
564   grant insert on "falo".dm_titelart to "public" as "falo";
565   grant delete on "falo".dm_titelart to "public" as "falo";
566   grant index on "falo".dm_titelart to "public" as "falo";
567   grant select on "falo".dm_verweisart to "public" as "falo";
568   grant update on "falo".dm_verweisart to "public" as "falo";
569   grant insert on "falo".dm_verweisart to "public" as "falo";
570   grant delete on "falo".dm_verweisart to "public" as "falo";
571   grant index on "falo".dm_verweisart to "public" as "falo";
572   grant select on "falo".pr_produzent to "public" as "falo";
573   grant update on "falo".pr_produzent to "public" as "falo";
574   grant insert on "falo".pr_produzent to "public" as "falo";
575   grant delete on "falo".pr_produzent to "public" as "falo";
576   grant index on "falo".pr_produzent to "public" as "falo";
577   grant select on "falo".pr_rolle to "public" as "falo";
578   grant update on "falo".pr_rolle to "public" as "falo";
579   grant insert on "falo".pr_rolle to "public" as "falo";
580   grant delete on "falo".pr_rolle to "public" as "falo";
581   grant index on "falo".pr_rolle to "public" as "falo";
582   grant select on "falo".pr_verbindungsart to "public" as "falo";
583   grant update on "falo".pr_verbindungsart to "public" as "falo";
584   grant insert on "falo".pr_verbindungsart to "public" as "falo";
585   grant delete on "falo".pr_verbindungsart to "public" as "falo";
586   grant index on "falo".pr_verbindungsart to "public" as "falo";
587   grant select on "falo".dok_dokument to "public" as "falo";
588   grant update on "falo".dok_dokument to "public" as "falo";
589   grant insert on "falo".dok_dokument to "public" as "falo";
590   grant delete on "falo".dok_dokument to "public" as "falo";
591   grant index on "falo".dok_dokument to "public" as "falo";
592   grant select on "falo".ko_konferenz to "public" as "falo";
593   grant update on "falo".ko_konferenz to "public" as "falo";
594   grant insert on "falo".ko_konferenz to "public" as "falo";
595   grant delete on "falo".ko_konferenz to "public" as "falo";
596   grant index on "falo".ko_konferenz to "public" as "falo";
597   grant select on "falo".pr_institution to "public" as "falo";
598   grant update on "falo".pr_institution to "public" as "falo";
599   grant insert on "falo".pr_institution to "public" as "falo";
600   grant delete on "falo".pr_institution to "public" as "falo";
601   grant index on "falo".pr_institution to "public" as "falo";
602   grant select on "falo".pr_person to "public" as "falo";
603   grant update on "falo".pr_person to "public" as "falo";
604   grant insert on "falo".pr_person to "public" as "falo";
605   grant delete on "falo".pr_person to "public" as "falo";
606   grant index on "falo".pr_person to "public" as "falo";
607   grant select on "falo".pr_verbindung to "public" as "falo";
608   grant update on "falo".pr_verbindung to "public" as "falo";
609   grant insert on "falo".pr_verbindung to "public" as "falo";
610   grant delete on "falo".pr_verbindung to "public" as "falo";
611   grant index on "falo".pr_verbindung to "public" as "falo";
612   grant select on "falo".dok_abstract to "public" as "falo";
613   grant update on "falo".dok_abstract to "public" as "falo";
614   grant insert on "falo".dok_abstract to "public" as "falo";
615   grant delete on "falo".dok_abstract to "public" as "falo";
616   grant index on "falo".dok_abstract to "public" as "falo";
617   grant select on "falo".dok_isbn to "public" as "falo";
618   grant update on "falo".dok_isbn to "public" as "falo";
619   grant insert on "falo".dok_isbn to "public" as "falo";
620   grant delete on "falo".dok_isbn to "public" as "falo";
621   grant index on "falo".dok_isbn to "public" as "falo";
622   grant select on "falo".dok_issn to "public" as "falo";
623   grant update on "falo".dok_issn to "public" as "falo";
624   grant insert on "falo".dok_issn to "public" as "falo";
625   grant delete on "falo".dok_issn to "public" as "falo";
626   grant index on "falo".dok_issn to "public" as "falo";
627   grant select on "falo".dok_klassifikation to "public" as "falo";
628   grant update on "falo".dok_klassifikation to "public" as "falo";
629   grant insert on "falo".dok_klassifikation to "public" as "falo";
630   grant delete on "falo".dok_klassifikation to "public" as "falo";
631   grant index on "falo".dok_klassifikation to "public" as "falo";
```



```
632   grant select on "falo".dok_produzent to "public" as "falo";
633   grant update on "falo".dok_produzent to "public" as "falo";
634   grant insert on "falo".dok_produzent to "public" as "falo";
635   grant delete on "falo".dok_produzent to "public" as "falo";
636   grant index on "falo".dok_produzent to "public" as "falo";
637   grant select on "falo".dok_sprache to "public" as "falo";
638   grant update on "falo".dok_sprache to "public" as "falo";
639   grant insert on "falo".dok_sprache to "public" as "falo";
640   grant delete on "falo".dok_sprache to "public" as "falo";
641   grant index on "falo".dok_sprache to "public" as "falo";
642   grant select on "falo".dok_titel to "public" as "falo";
643   grant update on "falo".dok_titel to "public" as "falo";
644   grant insert on "falo".dok_titel to "public" as "falo";
645   grant delete on "falo".dok_titel to "public" as "falo";
646   grant index on "falo".dok_titel to "public" as "falo";
647   grant select on "falo".dok_typ_a to "public" as "falo";
648   grant update on "falo".dok_typ_a to "public" as "falo";
649   grant insert on "falo".dok_typ_a to "public" as "falo";
650   grant delete on "falo".dok_typ_a to "public" as "falo";
651   grant index on "falo".dok_typ_a to "public" as "falo";
652   grant select on "falo".dok_typ_b to "public" as "falo";
653   grant update on "falo".dok_typ_b to "public" as "falo";
654   grant insert on "falo".dok_typ_b to "public" as "falo";
655   grant delete on "falo".dok_typ_b to "public" as "falo";
656   grant index on "falo".dok_typ_b to "public" as "falo";
657   grant select on "falo".dok_typ_c to "public" as "falo";
658   grant update on "falo".dok_typ_c to "public" as "falo";
659   grant insert on "falo".dok_typ_c to "public" as "falo";
660   grant delete on "falo".dok_typ_c to "public" as "falo";
661   grant index on "falo".dok_typ_c to "public" as "falo";
662   grant select on "falo".dok_typ_d to "public" as "falo";
663   grant update on "falo".dok_typ_d to "public" as "falo";
664   grant insert on "falo".dok_typ_d to "public" as "falo";
665   grant delete on "falo".dok_typ_d to "public" as "falo";
666   grant index on "falo".dok_typ_d to "public" as "falo";
667   grant select on "falo".dok_typ_e to "public" as "falo";
668   grant update on "falo".dok_typ_e to "public" as "falo";
669   grant insert on "falo".dok_typ_e to "public" as "falo";
670   grant delete on "falo".dok_typ_e to "public" as "falo";
671   grant index on "falo".dok_typ_e to "public" as "falo";
672   grant select on "falo".dok_verweis to "public" as "falo";
673   grant update on "falo".dok_verweis to "public" as "falo";
674   grant insert on "falo".dok_verweis to "public" as "falo";
675   grant delete on "falo".dok_verweis to "public" as "falo";
676   grant index on "falo".dok_verweis to "public" as "falo";
677   grant select on "falo".ko_tagung to "public" as "falo";
678   grant update on "falo".ko_tagung to "public" as "falo";
679   grant insert on "falo".ko_tagung to "public" as "falo";
680   grant delete on "falo".ko_tagung to "public" as "falo";
681   grant index on "falo".ko_tagung to "public" as "falo";
682   grant select on "falo".ko_verantwortung to "public" as "falo";
683   grant update on "falo".ko_verantwortung to "public" as "falo";
684   grant insert on "falo".ko_verantwortung to "public" as "falo";
685   grant delete on "falo".ko_verantwortung to "public" as "falo";
686   grant index on "falo".ko_verantwortung to "public" as "falo";
687   grant select on "falo".dok_typ_f to "public" as "falo";
688   grant update on "falo".dok_typ_f to "public" as "falo";
689   grant insert on "falo".dok_typ_f to "public" as "falo";
690   grant delete on "falo".dok_typ_f to "public" as "falo";
691   grant index on "falo".dok_typ_f to "public" as "falo";
692   grant select on "falo".ko_durchfuehrung to "public" as "falo";
693   grant update on "falo".ko_durchfuehrung to "public" as "falo";
694   grant insert on "falo".ko_durchfuehrung to "public" as "falo";
695   grant delete on "falo".ko_durchfuehrung to "public" as "falo";
696   grant index on "falo".ko_durchfuehrung to "public" as "falo";
697
698
699
700
701
702
```

```
703
704
705
706
```